

AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) In a computerized system that includes one or more program computer-executable components, including one or more computer-executable requesting components ~~that can request to access~~ configured to execute one or more computer-executable target components in the computerized system, a method of providing a computer-executable requesting component with access to an appropriate version of a computer-executable target component upon request, comprising the acts of:

receiving a request from a requesting component ~~to~~ for access by the requesting component of a specified version of a computer-executable target component, ~~the request being received from a requesting component~~;

upon receiving the request from the requesting component, identifying a versioning policy of the specified version of the requested target component;

identifying an appropriate version of the target component based on the versioning policy of the specified target component; and

providing the requesting component with access to the appropriate version of the target component, wherein the requesting component executes the identified and provided target component.

2. (Original) The method as recited in claim 1, wherein the requested version of the target component is one of a library component and a platform component.

3. (Original) The method as recited in claim 1, wherein identifying an appropriate version of the target component comprises identifying a more recent version of the target component in response to a request for an earlier version of the target even though the more recent version and the earlier version are both accessible to the computerized system.
4. (Original) The method as recited in claim 2, identifying a more recent version of the target component in response to a request for an earlier version of the target even though the more recent version and the earlier version are both accessible to the computerized system comprises identifying a more recent version of a platform component even though an earlier version of the platform component remained on the system when the more recent version was received at the computerized system.
5. (Original) The method as recited in claim 1, wherein the versioning policy of the specified version of the target component is identified when the target component is one or more of compiled, configured, installed, and run on the computerized system.
6. (Original) The method as recited in claim 1, wherein version information that identifies the specified target component is stored in the requesting component when the requesting component is one or more of compiled, configured, installed, and run on the computerized system.
7. (Currently Amended) The method as recited in claim 1, further comprising:
 - identifying one or more requesting components that are able to access a prior version of the target component;
 - identifying that none of the one or more requesting components are configured to ~~access~~ request the prior version of the target component; and
 - deleting the prior version of the target component.

8. (Original) The method as recited in claim 1, wherein the appropriate version of the target component is the version of the target component that was requested.
9. (Original) The method as recited in claim 1, wherein the appropriate version of the target component is different from the version of the target component that was requested.
10. (Original) The method as recited in claim 8, wherein target component access is provided to the requesting component through a determining module.
11. (Original) The method as recited in claim 9, wherein the availability of one or more of the prior version of the target component and the more recent version of the target component is identified by a determining module when the one or more of the prior version of the target component and the more recent version of the target component is received by the computerized system.
12. (Original) The method as recited in claim 1, wherein the versioning policy is inserted into computer-executable instructions in the target component prior to one of installing, configuring, and executing the target component on the computerized system.
13. (Original) The method as recited in claim 1, wherein the versioning policy is further identified in any version of the target component.
14. (Original) The method as recited in claim 12, wherein the versioning policy identifies that any of the prior version of the target component and the more recent version of the target component is configured to be accessed by a specific version of the requesting component.
15. (Original) The method as recited in claim 1, further comprising identifying a component scope that is associated with the target component.

16. (Original) The method as recited in claim 14, wherein access to the specified version of the target component is further based on one of the identified component scope associated with the target component, and a target component scope supplied by a system administrator.

17. (Original) The method as recited in claim 15, wherein the identified component scope specifies that access to the specified version of the target component is provided in one or more of a machine level, a process level, and a sub-process level.

18. (Original) The method as recited in claim 1, wherein the requested target component is a library component, the method further comprising identifying a servicing value associated with the requested target component.

19. (Original) The method as recited in claim 1, wherein identifying an appropriate version of the target component comprising identifying an updated version of a library component based on the identified versioning policy and the identified servicing value.

20. (Currently Amended) In a computerized system that includes one or more program computer-executable components, including one or more computer-executable requesting components that can request to access one or more computer-executable target components in the computerized system, a method of providing a computer-executable requesting component with access to an appropriate version of a computer-executable target component, comprising:

receiving a request from a requesting component for access by the requesting component of a specified version of a computer-executable target component;

a step for, upon receiving the request from the requesting component, determining an appropriate version of the requested target component based on a versioning policy corresponding to the requested target component, and allowing access to an the appropriate version of the requested target component such that the requesting component accesses the appropriate target component as it has been configured to do so, and such that the requesting component does not fail when requesting access to a component that has been upgraded.

21. (Currently Amended) The method as recited in claim 20, wherein the step for allowing access to an appropriate version of the requested target component comprises the corresponding acts of:

upon receiving the request from the requesting component, identifying a versioning policy of the specified version of the requested target component;

~~receiving a request to access a specified version of a computer executable target component, the request being received from a computer executable requesting component;~~

identifying an appropriate version of the target component based on the versioning policy of the specified target component;

providing the requesting component with access to the appropriate version of the target component, wherein the requesting component executes the identified and provided target component.

22. (Currently Amended) In a computerized system that includes one or more program components, including one or more requesting components that can request to access one or more target components in the computerized system, a method of upgrading a computer-executable target component such that a computer-executable requesting component that accesses the computer-executable target component continues to operate effectively after the target component has been upgraded, comprising the acts of:

identifying that a requesting component is configured to ~~access~~ execute a computer-executable target component;

identifying a versioning policy in at least an existing version of the target component and a versioning policy in a previously installed version of the target component; and

identifying which versions of the target component should remain on the system based on any of the identified versioning ~~policy~~ policies corresponding to at least the existing version of the target component and the previously installed version of the target component.

23. (Original) The method as recited in claim 22, further comprising receiving an updated version of the target component over a network from a network service provider.

24. (Original) The method as recited in claim 22, wherein, if the versioning policy indicates that the requesting component is a library component, adding the existing version of the target component to the system without removing the previously installed version of the target component.

25. (Original) The method as recited in claim 22, wherein, if the versioning policy indicates that the requesting component is a platform component, overwriting the previously installed version of the target component with the existing version of the target component.

26. (Currently Amended) In a computerized system including one or more requesting components that are configured to access one or more ~~source-target~~ components in the computerized system, a computer program storage product having computer-executable instructions stored thereon that, when executed, cause one or more processors in the computerized system to ~~perform~~ execute a method of providing a computer-executable requesting component with access to an appropriate version of a computer-executable target component upon request, comprising the acts of:

receiving a request from a requesting component for access by the requesting component of a specified version of a computer-executable target component;

upon receiving the request from the requesting component, identifying a versioning policy of the specified version of the requested target component;

identifying an appropriate version of the target component based on the versioning policy of the specified target component; and

providing the requesting component with access to the appropriate version of the target component, wherein the requesting component executes the identified and provided target component.

27. (Currently Amended) In a computerized system including one or more requesting components that are configured to access one or more ~~source-target~~ components in the computerized system, a computer program storage product having computer-executable instructions stored thereon that, when executed, cause one or more processors in the computerized system to ~~perform~~ execute a method of upgrading a computer-executable target component such that a computer-executable requesting component that accesses the computer-executable target component continues to operate effectively after the target component has been upgraded, comprising the acts of:

identifying that a requesting component is configured to execute a computer-executable target component;

identifying a versioning policy in at least an existing version of the target component and a versioning policy in a previously installed version of the target component; and

identifying which versions of the target component should remain on the system based on any of the identified versioning policies corresponding to at least the existing version of the target component and the previously installed version of the target component.